Reg. No	
Nome	

B.Sc. DEGREE (C.B.C.S.S.) EXAMINATION, OCTOBER 2015

Fifth Semester

Core Course—CLASSICAL AND QUANTUM MECHANICS

(Common for Model I and Model II B.Sc. Physics, B.Sc. Physics, EEM and B.Sc. Physics Instrumentation)

[2013 Admissions]

Time: Three Hours

Maximum: 60 Marks

Part A

Answer all questions.

Each question carries 1 mark.

- 1. The conditions which restricts the ———— of the system are called constraints.
- 2. The number of degrees of freedom of the system is the ———— possible number of co-ordinates required to describe the system.
- 3. The product of any generalized momentum and the associate co-ordinate must always have the dimension of ———— momentum.
- 4. Photoelectric emission is an process.
- 5. A moving particle has a nature.
- 6. The characteristic value of energy of a system is known as energy ——— value of the system.
- 7. The one dimensional motion of a ———— mass about a fixed point under a force is called a LHO.
- 8. The —— value of energy that an oscillator can have is called the zero point energy.

 $(8 \times 1 = 8)$

Part B

Answer any six questions.

Each question carries 2 marks.

- 9. What are constraints?
- 10. State the principle of virtual work.
- 11. Give the Hamilton's principle for a conservation system.
- 12. What is Photoelectric effect?
- 13. State de Broglie hypothesis.
- 14. What is a commutation relation?
- 15. What is meant by eigen function?

Turn over

- 16. What is group velocity?
- 17. Write down Schrödinger equation in steady state form.
- 18. What is zero point energy?

 $(6 \times 2 = 12)$

Part C

Answer any four questions. Each question carries 4 marks.

- 19. Deduce Hamilton's principle from D'Alembert's principle.
- 20. Obtain Lagrange's equation of motion for a simple pendulum.
- 21. The threshold wavelength of photoelectric emission in tungsten is 230 nm, what wavelength of light must be used in order for electrons with a maximum energy of 1.5 eV to be ejected?
- 22. A typical atomic nucleus is about 5×10^{-5} m in radius. Use the uncertainty principle to place a lower limit on the energy of an electron must have if it is to be part of a nucleus.
- 23. Find the probability that a particle trapped in a box L wide can be found between 0.45 L and 0.55L for the ground and first excited states.
- 24. Find the zero point energy in electron volts of a pendulum whose period is one second.

 $(4 \times 4 = 16)$

Part D

Answer any two questions. Each question carries 12 marks.

- 25. What are generalized co-ordinates and velocities? Set up the Lagrangian for a spherical pendulum.
- 26. Discuss the Kepler problem of planetary motion.
- 27. Give an account on Heisenberg's uncertainty principle. Illustrate the principle.
- 28. Show that zero point energy of one dimensional harmonic oscillator can be the consequence of uncertainty principle.

 $(2\times 12=24)$